

Work Order ID 149077

Tuesday, July 19, 2016 2:43:56 PM

149077

Page 1

Item ID: D4634-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Fwd, Center Ceiling Panel Assembly
Start Date: 7/5/2016 Start Qty: 1.00 *1* Cust Item ID:
Required Date: 7/19/2016 Req'd Qty: 1.00 *1* Customer:
Reference:

Approvals: Process Plan: DAS 21 9-89 Date: JUL 20 2016 Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4634	G								

100

0.00

100

HandThermo

Hand Finishing Thermoforming

Memo

Pick Kit

0.00

AUG 29 2016

DAS
6
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER :						
Misidentified ☐	☐	Past Due ☐							

Work Order ID 149077

Tuesday, July 19, 2016 2:43:56 PM

149077

Page 2

Item ID: D4634-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Fwd, Center Ceiling Panel Assembly
Start Date: 7/5/2016 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 7/19/2016 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

110

0.00

110

Small Fab

Small Fab

Memo

0.16

***BEFORE INTALLING D4728-051, APPLY A 3/16" SEEM OF PLASTIC-
WELD 2 ON TOTAL LENGHT OF PART ON EANCH SIDE OF LIGHT, LET
DRY FOR ONE HOUR***
PLASTIC-WELD 2 BATCH: m135436

1- Assemble as per Dwg D4634-041

2- install No Smoking & seat belt symbols

3- Install led lights

4- Install Air valves

5-Install Wiring Harness

5-Install wiring harness

DAS
27
9-89

NOV 03 2016

120

QC5- Inspect part completeness to step on W/O

0.00

120

QC

Quality Control

Memo

0.00

DAS
9
9-89

① 16-11-16

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 149077

Tuesday, July 19, 2016 2:43:56 PM

149077

Page 3

Item ID: D4634-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Fwd, Center Ceiling Panel Assembly
Start Date: 7/5/2016 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 7/19/2016 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: _____	0.00							
130						DAS 27			
Packaging	Memo	0.00				9-89			
Packaging									
									NOV 22 2016
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.02							16/11/22
Quality Control									

DAS
21
9-89 NOV 22 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified ☐	☐	Past Due	☐				

Picklist Print

Tuesday, July 19, 2016 2:44:00 PM

Page 1
3

Work Order ID: 149077

149077

Parent Item: D4634-041

D4634-041

Parent Item Name: Fwd, Center Ceiling Panel Assembly

Start Date: 7/5/2016

Required Date: 7/19/2016

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev. A 12/08/09 New Issue DL
12/11/08 Document release DL VERIFIED BY:JLM
Dwg Update DL verf: DD
DL
DL
DL
IPP Rev B
IPP Rev C 13/07/09
IPP Rev D Dwg Update 13/12/23
IPP REV E Dwg update 14/01/09
IPP Rev F Dwg. update 14/02/03
IPP Rev G Dwg. Update 15/01/27 DL

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4652-5 *D4652-5* Air Valve, 1.25 Id Disk Type		Manufactured	No			100	Each	0.0000	2	2			DAS 6 9-89
D4743-1 *D4743-1* Speaker Grill		Manufactured	No			100	Each	20.0000	2	2			DAS 6 9-89
				<u>Location</u>				<u>Loc Qty</u>					
				MF005				20					
					129268			20					
MS21044-N08 *MS21044-N08* Nut		Purchased	No			100	Each	155.0000	8	8			DAS 6 9-89
				<u>Location</u>				<u>Loc Qty</u>					
				ST302				152					
				m131452				152					
				ST303				3					
				m127813				2					
				m130297				1					
MS24693-BB50 *MS24693-BB50* SCREW		Purchased	No			100	Each	160.0000	8	8			DAS 6 9-89
				<u>Location</u>				<u>Loc Qty</u>					
				ST288				160					
				m130207				160					

AUG 2 9 2016

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Tuesday, July 19, 2016 2:44:00 PM

Page 2

Work Order ID: 149077

149077

Parent Item: D4634-041

D4634-041

Parent Item Name: Fwd, Center Ceiling Panel Assembly

Start Date: 7/5/2016

Required Date: 7/19/2016

Start Qty: 1.00

Required Qty: 1.00

NAS1149DN832J

Purchased

No

100

Each

561.0000

8

8

NAS1149DN832.J

Washer

DAS

6

9-89

Location

Loc Qty

Loc Code

CA

84

M129499

84

ST264

477

M134180

477

8

AUG 2 9 2016

D4634-141

Manufactured

No

100

Each

0.0000

1

1

D4634-141

Fwd, Center Ceiling Replacement Panel Assembly

B149141

DAS

27

9-89

D4646-1

Manufactured

No

100

Each

63.0000

2

2

D4646-1

Plenum Cap Assembly

DAS

6

9-89

Location

Loc Qty

Loc Code

MF009

63

124234

13

125003

50

2

D4728-047

Manufactured

No

100

Each

23.0000

1

1

D4728-047

Advisory Light, Fwd

DAS

6

9-89

Location

Loc Qty

Loc Code

MF003

6

117929

6

over001

17

124732

17

1

AUG 2 9 2016

Tuesday, July 19, 2016 2:44:00 PM

Shop Packet Print

Page 2

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Tuesday, July 19, 2016 2:44:00 PM

Page 3

Work Order ID: 149077

149077

Parent Item: D4634-041

D4634-041

Parent Item Name: Fwd, Center Ceiling Panel Assembly

Start Date: 7/5/2016

Required Date: 7/19/2016

Start Qty: 1.00

Required Qty: 1.00

D4728-051

Manufactured No

100

Each

20.0000

1

1

D4728-051

Cabin Lights #1

Location

Loc Qty

Loc Code

DAS

6

9-89

MF003

2

117932

2

over001

18

122713

18

PLT1.5M-M

Purchased

No

100

Each

2,855.000

7

7

PI T1 5M-M

Tie Wrap

Location

Loc Qty

Loc Code

DAS

6

9-89

ST585

2855

m129712

2855

50-009-2

Purchased

No

100

Each

97.0000

1

1

50-009-2

Grommet

Location

Loc Qty

Loc Code

DAS

6

9-89

ST562

97

m128047

47

m131501

50

2351-20-27-C3C

2351-20-27-
Z3CT

Purchased

No

100

Each

62.0000

1

1

2351-20-27-C3C

STUD

Location

Loc Qty

Loc Code

DAS

6

9-89

ST569

62

m128068

19

m130318

43

Aug 29 2016

Tuesday, July 19, 2016 2:44:00 PM

Shop Packet Print

Page 3

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
				OTHER : _____			



D4634-041 FWD, CENTER CEILING PANEL ASSY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.4, ON SMOOTH SIDE
- 7) WEIGHT: 7.0 lbs
- 8) INSTALL D4728-047/-051 WIRE HARNESS PER QSI 048

ITEM NO.	QTY. -041	P/N	DESCRIPTION
1	X	D4634-041	FWD, CENTER CEILING PANEL ASSY
2	1	D4634-141	FWD, CENTER CEILING REPLACEMENT PANEL ASSY
3	1	D4638-1 (REF)	LED LIGHT (REF PART OF D4728-051)
4	1	D4645-1 (REF)	NO SMOKING & FASTEN BELT LIGHT (PART OF D4728-047)
5	2	D4646-1	PLENUM CAP ASSEMBLY
6	2	D4652-3 (REF)	MOUNTING NUT (PART OF D4652-5)
7	2	D4652-5	AIR VALVE, 1.16 ID DISK TYPE
8	1	D4728-047	ADVISORY LIGHT (FWD) HARNESS ASSEMBLY
9	1	D4728-051	CABIN LIGHT #1 HARNESS ASSEMBLY
10	2	N/A (REF)	SCREW (PART OF D4638-1)
11	2	D4743-1	SPEAKER GRILL
12	8	MS21044-N08	NUT, SELF-LOCKING
13	8	MS24693-BB50	SCREW, CSK 100°
14	8	NAS1149DN832J	WASHER
15	7	PLT1.5M-M	TIE-WRAP (OR PLT1.5M-C)
16	1	50-009-2	GROMMET
17	1	2351-20-27-C3C	DZUS STUD, OVAL HEAD

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 149077 MJS
16-07-20

RELEASED

2015 JAN 26

ECN 14-634 4P


G	D4652-5 WAS D4652-1 (ZN D4-1, D4-3, D4-5); 10.28 WAS 10.20 (ZN B6-10, B5-12, B5-14); TIE-WRAP & MOUNTING PAD QTY CHANGE; MOUNTING PAD EDGE DISTANCE CHANGE	RF	14.11.28
F	REVISE BOM (ZN D4-7); ADD DIM (ZN B8-9); 10.20 WAS 10.05 (ZN B6-10, B5-12, B5-14); ADD DETAIL V (ZN C4-10, B4-12, C4-14, A4-16); CHANGE PROTRUDE SECTION DIMS TO REF (ZN C7-10, C7-12, C7-14)	RF	14.02.03
E	REVISED BOM (ZN C4-1, C4-3, D4-5, C4-7, C4-8, C4-9); ADDED NOTE 11) (ZN D5-7, A8-7, D5-8, A8-8, D7-9, A8-9); 3.70 WAS 3.83 (ZN C6-11); 1.88 WAS 2.00 (ZN D7-13); 6.13 WAS 6.25 (ZN B6-15); REVISE DETAIL B (ZN A8-16)	RF	14.01.09
D	ADDED PLT1.5M-M (ZN C4-5, C6-6); D5021-1 (ZN D4-7, D5-7); D5021-3 (ZN D4-8, D5-8); D5021-5 (ZN D4-9, B7-9); MPNY-750S-9-C (ZN D4-9, B7-9); Ø0.129 (ZN B4-11, B4-13); DETAIL "U" (ZN C2-17); 3.83 WAS 3.87 (ZN C6-11), 2.00 WAS 2.02 (ZN D6-13); REVISE NOTE 8) & 10) (ZN A8-7, A8-8, A8-9); & NOTE 1) (ZN A8-10, A8-12, A8-14); 3.80 WAS 3.84 (ZN D4-17, B8-17); REMOVED D4694-7/-041/-043/-045/-047, D4647-3/-7/-8; DIMENSION SHIFTED DUE ADDING D5021-1/-3/-5; Ø0.250 WAS Ø0.206 (ZN D6-11, C3-13 & D6-15)	RF	13.12.09
C	REVISE GENERAL NOTES (ZN A8-7, A8-8, A8-9) & BOM (ZN D4-1, D4-3, D4-5, D4-7, D4-8); Ø0.208 WAS Ø0.207 (ZN D6-11, C3-13, C6-15) ADD DIM. (ZN B6-7, B7-7, D7-8, & D6-9)	RF	13.06.18
B	ADDED D4634-141/-143/-145 (ZN B4-7, B4-8, B4-9); REVISE D4634-041/-043/-044 PART LIST & GENERAL NOTES; ADD DETAILS R,S,T SHT 10, 12, 14, 16, 17	RF	12.11.30
A	NEW ISSUE	RF	12.07.25
REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	RF		
CHECKED	AK		
MFG. APPR.	DL		
APPROVED	HS		
DE APPR.	DS		
DATE	14.11.28		

APPROVED

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.
D4634
REV. G
SHEET 1 OF 17
SCALE
NTS

CENTER CEILING PANELS
COPYRIGHT © 2012 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD



D4634-041 FWD. CENTER CEILING PANEL ASSY
AUXILIARY VIEW

RELEASED

2015 JAN 26 *p*

APPROVED	DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	DRAWN	RF		
	CHECKED	AK	DRAWING NO.	REV. G
	MFG. APPR.	DL	D4634	SHEET 2 OF 17
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	CENTER CEILING PANELS	NTS
DATE		14.11.28	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

Linda Lacelle

From: Linda Lacelle
Sent: Monday, May 11, 2015 12:59 PM
To: Nigel Forbes
Subject: FW: 139 Ceilings Deviation

All Mike G...

From: David Shepherd
Sent: May-11-15 12:58 PM
To: Nigel Forbes; Bill Beckett
Cc: Roberto Fuentes; Linda Lacelle; Mario Poulin; Daryl Leger; Harvey Siemens
Subject: RE: 139 Ceilings Deviation

Nigel/Bill,

Can you clarify what is going on here. About 6 months ago, Operations pushed Engineering to change the lights and air vents previous lights and air vents were waaaaaaay too expensive. Now we have 3 years supply of the old expensive parts. I'm con

Regards,
David

From: Mario Poulin
Sent: May-11-15 10:53 AM
To: Daryl Leger; Harvey Siemens
Cc: Roberto Fuentes; David Shepherd; Linda Lacelle
Subject: RE: 139 Ceilings Deviation

No orders pending,

From: Daryl Leger
Sent: Monday, May 11, 2015 12:49 PM
To: Mario Poulin; Harvey Siemens
Cc: Roberto Fuentes; David Shepherd; Linda Lacelle
Subject: RE: 139 Ceilings Deviation

Harvey
Re: 139 Ceilings

We have	old stock quantities of	D4652-1 air Valve	QTY 163. (enough old stock for 13 sets)	New Stock Qty. 0
	Old stock quantity of	D4638-1 light	QTY 73. (enough old stock for 24 sets)	New Stock Qty. 0

We do not have any orders on hand for ceilings and I have no idea if there are any pending orders.
Please advise

Daryl

From: Mario Poulin
Sent: Monday, May 11, 2015 10:45 AM
To: Harvey Siemens; Daryl Leger

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____							
Misidentified	☐	Past Due	☐								

Cc: Roberto Fuentes; David Shepherd; Linda Lacelle
Subject: RE: 139 Ceilings Deviation

Harvey,

We have stock for about 3 years, Ok to keep some old ones in case, but we should be reducing inventory first.

Mario,

From: Harvey Siemens
Sent: Monday, May 11, 2015 10:18 AM
To: Daryl Leger
Cc: Roberto Fuentes; Mario Poulin; David Shepherd
Subject: RE: 139 Ceilings Deviation

Daryl,

I thought we were going to move to the new parts and not use up all the old stock in case somebody wanted/needed replace

Just a little curious, why we are going backwards??

HS

From: Daryl Leger
Sent: May-11-15 5:56 AM
To: Harvey Siemens
Cc: Roberto Fuentes; Mario Poulin
Subject: 139 Ceilings Deviation

Harvey

Can you please provide a standard email that we can use to make D4634-xxx panels at Rev. F until old stock parts are used up
We will also need same type document to produce D4635-xxx panels as per Rev. E until old stock parts are used up.
We will not use unmatched parts (old/new on same set panel) as old stock diminishes.

Daryl

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					